



This Drawing is protected by Copyright. It may not be reproduced in any form or by any means for any purpose without the written consent of Services Design Solution Limited. All Dimensions to be checked on Site and verified prior to commencing Works / Manufacture. Any discrepancies to be reported to Services Design Solution Limited. These Drawings reflect the layouts for the purposes of design only. The Contractor shall be responsible for producing their own Working and Co-ordination drawings prior to commencing their installations. If these drawings are used for Construction purposes it is done so at the Contractor's Risk.

SAFETY, HEALTH & ENVIRONMENTAL

Risk Level:

- Very Low
- Low
- Moderate
- High
- Very High

This drawing should be read in conjunction with the 'Designers risk assessment schedule', document number: 08998L-SDS-ZZ-ZZ-RG-E-70820008

All works should be carried out to an approved risk assessment and method statement.

FIRE SAFETY AND CONFORMITY

All fixings within fire compartments (including fasteners, nuts, bolts, screws, anchors, cavity fixings, suspension fixings, beam clamps, pipe clamps, base plates, rod fixings, wire hangers, clips, and ties) shall be fire-rated for the specified fire resistance period of the compartment. Each type of fixing shall be accompanied by a fire-rated certificate of compliance and a Declaration of Conformity (DoC) or Certificate of Conformity (CoC). Additionally, photographic evidence must be provided to demonstrate that the installation complies with all relevant UK fire safety standards and regulations.

Legend

- S(n) Horizontal Illuminance Measurement Point at Ground Level (n = Measurement Number)
- XA1 Existing LED Column (n = Approximate Mounting Height)

Notes

- Do not scale from this drawing.
- All measurements are in millimeters unless stated otherwise.
- This drawing shall be read in conjunction with all relevant architectural, structural, mechanical and electrical services information.
- This drawing shall be read in conjunction with SDS Baseline and Lighting Impact Assessment Report 08998L-SDS-ZZ-EX-RP-E-7082001.
- There may be some discrepancy between indicated and actual baseline survey measurement locations.
- Illuminance measurements were taken using a calibrated "Konica Minolta T-10A" Illuminance Meter (Serial No: 30014456 / 20012926).
- Refer to Table 11 for the Baseline Survey Measurement References and Results.

P02	Updates from Comments	KT / EH	24.09.2026
P01	Preliminary Issue	JP / EH	28.08.2026
Rev	Details:	By / Chkd / App	Date



SERVICES DESIGN SOLUTION LIMITED
Hembury House, Pymore Hill, Rydon Lane
Exeter, Devon, EX2 6AZ
Tel +44 (0)1392 444105 | www.sdslsolution.co.uk

CLIENT



PROJECT TITLE
Brecon Lidl
Land off A470
Brecon, Powys, LD3 8LA

DRAWING TITLE
Baseline Survey Location Plan

SCALE AT A1

1:75

DISCIPLINE

Lighting

DRAWING NUMBER

08998L-SDS-ZZ-EX-D-E-7082004

Project - Originator - Zone - Level - Type - Role - NBS class - Sequential Number

STATUS	SUITABILITY	ISSUE
Review & Comment	S3	P01